ELSEVIER

Wear 196 (1996) 301

WEAR

Author Index of Volume 196

Abrão, A.M., 279
Akei, M., 180
Alahelisten, A., 226
Alpas, A.T., 270
Aspinwall, D.K., 279

Bahadur, S., 156
Ballout, Y., 263
Ballout, Y.A., 285
Bodnar, J.L., 54
Boshui, C., 16
Buckley, T.R., 35

Caughlin, T.A., 100
Chapovska, R., 219
Cuervo, D.G., 110

Dai, W.W., 238
Dang Van, K., 77
Da-rong, C., 60
Ding, C.X., 238

Egée, M., 54

Fernandez, J.E., 110
Frith, R.H., 64

Gåhlin, R., 226
Gao, C., 234
Gerardi, D.T., 133
Ghasripoor, F., 207
Guo, Y., 243, 249
Guoxu, C., 16

Honda, T., 46
Hongxin, D., 214
Hou, W., 46
Hu, Y., 243
Hu, Y.-Z., 249
Huang, P., 72
HuXin-Ning, 295

Ishihara, T., 254
Iwai, Y., 46

Jacobson, S., 226
Jang, D.-S., 171
Jianmin, C., 214
Jiazheng, Z., 214
Junxiu, D., 16

Kim, D.E., 171
Krajcinovic, D., 1

Li, J.F., 238
Li, T.-S., 164
Lian, Y., 188, 193
Lin, T.-R., 126
Liu, W., 82, 87, 234
Liu, W.-M., 164

Mackwood, W.A., 100
Maitournam, M.H., 77
Mathis, J.A., 263
Mizuhara, K., 180

Ness, E., 120

Prasil, B., 77

Rack, H.J., 202
Rosado, L., 133

Sannino, A.P., 202
Scattergood, R.O., 285
Scott, W., 64
Sheasby, J.S., 100
Shen, W., 82
Shen, W.-C., 164
Shen, Z.-J., 249
Shi, J., 197
SunKe-Ning, 295

Taki, T., 180
Talia, J.E., 263, 285
Tao, X., 214
Torrance, A.A., 35, 147
Trivedi, H.K., 133

Ukhanska, O., 219

Van Bennekom, A., 92

Wan, Y., 87
Wang, B.-Q., 141
Wang, H., 243, 249
Wang, Q., 82
Wang, T.M., 197
Wang, W.J., 197
Wang, X.J., 197
Wang, Y., 110
WangJi-Ren, 295
Warren, T.L., 1
When, S., 72
Whitefield, D.J., 92
Williams, J.A., 21
Wilson, S., 270

Xian-mei, K., 60
Xie, Y., 21
Xu, J., 82
Xue, Q., 87, 188, 193, 234
Xue, Q.-J., 164

Yamamoto, T., 180
Yang, C.-N., 156
Yang, Y., 147
Yen, B.K., 254
Yevtushenko, A., 219
Yi-fei, Y., 60
Yoneda, H., 46
Yu, L., 188, 193

Zhang, P.Y., 238
Zhang, Y.F., 238
Zhang, Z., 234
Zhang, Z.-Z., 164
ZhangJi-Hai, ., 295
Zheng, L., 243
Zheng, L.-Q., 249
Zibbell, R., 120
Zou, Q., 72

Elsevier Science S.A.

ELSEVIER

Wear 196 (1996) 303–307

WEAR

Subject Index of Volume 196

Abrasion
a slip-line field model of abrasive wear, 35
abrasion and erosion of hard materials related to wear in the abrasive waterjet, 120
the effects of compressive stresses on the abrasion of diamond coatings, 226
Abrasive waterjet
abrasion and erosion of hard materials related to wear in the abrasive waterjet, 120
Abrasive wear
the prediction of friction and wear when a soft surface slides against a harder rough surface, 21
abrasive wear model for lubricated sliding contacts, 72
Additive
the antiwear and extreme pressure properties of some oil–water double soluble rare earth complexes. Part 1: their tribological behaviour in water, 188
the antiwear and extreme pressure properties of some oil–water double soluble rare earth complexes. Part 2: their tribological behaviours in liquid paraffin, 193
Additives
tribological behavior of lubricating oil additives in lubricated aluminum-on-steel contact, 87
Adsorption
the antiwear and extreme pressure properties of some oil–water double soluble rare earth complexes. Part 2: their tribological behaviours in liquid paraffin, 193
AFM
the effects of compressive stresses on the abrasion of diamond coatings, 226
Aluminium composite
effect of temperature on the sliding wear performance of Al alloys and Al matrix composites, 270
Aluminum alloys
tribological behavior of lubricating oil additives in lubricated aluminum-on-steel contact, 87
Aluminum-on-steel
tribological properties of aluminum-on-steel system under the lubrication of grease containing a complex of lanthanum *N*-salicylidene derivative of malonic dihydrazide, 234
Anodic oxide film of aluminum
the pore-enlargement and self-lubrication treatment of anodic oxide film of aluminum, 214
Antiwear properties
the antiwear and extreme pressure properties of some oil–water double soluble rare earth complexes. Part 2: their tribological behaviours in liquid paraffin, 193
Asperities
the effects of three-dimensional irregularities on the performance characteristics of turbulent journal bearing, 126
Asperity contact
the prediction of friction and wear when a soft surface slides against a harder rough surface, 21

AW properties
the antiwear and extreme pressure properties of some oil–water double soluble rare earth complexes. Part 1: their tribological behaviour in water, 188

Binder proportion
the dependence of erosion–corrosion wastage on carbide/metal binder proportion for HVOF carbide–metal cermet coatings, 141
Boron carbide
abrasion and erosion of hard materials related to wear in the abrasive waterjet, 120
Boundary lubrication
a comparison of the boundary lubrication of 52100 steel, zirconia and silicon nitride by S, P, S/P and zinc dialkyl dithiophosphate additives, 100
evaluation of fatigue and wear characteristics of M50 steel using high temperature synthetic turbine engine lubricants – Part II, 133

C/C composites
on temperature-dependent tribological regimes and oxidation of carbon–carbon composites up to 1800 °C, 254
Cantor set
random Cantor set models for the elastic–perfectly plastic contact of rough surfaces, 1
Carbide coatings
friction and wear behavior of tungsten and titanium carbide coatings, 156
Carbide size
the dependence of erosion–corrosion wastage on carbide/metal binder proportion for HVOF carbide–metal cermet coatings, 141
Carbon–carbon composites
on temperature-dependent tribological regimes and oxidation of carbon–carbon composites up to 1800 °C, 254
Ceramics
a comparison of the boundary lubrication of 52100 steel, zirconia and silicon nitride by S, P, S/P and zinc dialkyl dithiophosphate additives, 100
abrasion and erosion of hard materials related to wear in the abrasive waterjet, 120
Ceramic tools
the surface integrity of turned and ground hardened bearing steel, 279
Coating friction
friction and wear behavior of tungsten and titanium carbide coatings, 156
Coating wear
friction and wear behavior of tungsten and titanium carbide coatings, 156
Composite coating
Electrodeposited Cr–Al_2O_3 composite coating for wear resistance, 295
Compressive stresses
the effects of compressive stresses on the abrasion of diamond coatings, 226

Elsevier Science S.A.

Contact of rough surfaces
random Cantor set models for the elastic–perfectly plastic contact of rough surfaces, 1
Crack characterization
wear crack characterization by photothermal radiometry, 54
Crack propagation
the effects of compressive stresses on the abrasion of diamond coatings, 226

D-gun coatings
friction and wear behavior of tungsten and titanium carbide coatings, 156
Diamond coating
the effects of compressive stresses on the abrasion of diamond coatings, 226
Disc
friction heat distribution between a stationary pin and a rotating disc, 219
Dry and lubricated wear
friction and wear behavior of tungsten and titanium carbide coatings, 156
Dry impact abrasion
abrasive wear properties of experimental metastable duplex stainless steels, 92
Dry wear
wear behaviour of high tensile strength aluminium alloys under dry and lubricated conditions, 46
Duplex
abrasive wear properties of experimental metastable duplex stainless steels, 92
Dusting
on temperature-dependent tribological regimes and oxidation of carbon–carbon composites up to 1800 °C, 254
Dynamic response of confined fluid
simulation of lubricant rheology in thin film lubrication. Part 2: simulation of Couette flow, 249

Elastohydrodynamic lubrication
evaluation of film-forming capability of refrigeration lubricants in pressurized refrigerant atmosphere, 180
friction controlled materials wear testing and selection under starved lubrication, 207
Electrodeposited Cr
Electrodeposited Cr–Al_2O_3 composite coating for wear resistance, 295
EPMA
tribological behavior of lubricating oil additives in lubricated aluminum-on-steel contact, 87
tribological properties of polytetrafluoroethylene-based composite in different lubricant media, 164
EP properties
the antiwear and extreme pressure properties of some oil–water double soluble rare earth complexes. Part 1: their tribological behaviour in water, 188
Erosion
abrasion and erosion of hard materials related to wear in the abrasive waterjet, 120
solid particle erosion mechanism in glass, 263
Erosion–corrosion
the dependence of erosion–corrosion wastage on carbide/metal binder proportion for HVOF carbide–metal cermet coatings, 141
Erosion in aluminum
erosion ripple formation mechanism in aluminum and aluminum alloys, 285
Erosion mechanisms
erosion ripple formation mechanism in aluminum and aluminum alloys, 285
Erosion rate
solid particle erosion mechanism in glass, 263
Extreme pressure properties
the antiwear and extreme pressure properties of some oil–water double soluble rare earth complexes. Part 2: their tribological behaviours in liquid paraffin, 193

Fatigue fracture mode
wear behaviour of high tensile strength aluminium alloys under dry and lubricated conditions, 46
Fatigue life
rolling-contact fatigue lives of steel AISI 52100 balls with eight mineral and synthetic lubricants, 110
the surface integrity of turned and ground hardened bearing steel, 279
Finite element analysis
elastoplastic analysis of repeated moving contact. Application to railways damage phenomena, 77
Flying spot radiometry
wear crack characterization by photothermal radiometry, 54
Fractal representation
random Cantor set models for the elastic–perfectly plastic contact of rough surfaces, 1
Friction
tribological behavior of ultra-thin soft metallic deposits on hard substrates, 171
Frictional surfaces
tribological properties of polytetrafluoroethylene-based composite in different lubricant media, 164
Friction and wear
tribological properties of polytetrafluoroethylene-based composite in different lubricant media, 164
on temperature-dependent tribological regimes and oxidation of carbon–carbon composites up to 1800 °C, 254
Friction and wear behaviors
tribological properties of aluminum-on-steel system under the lubrication of grease containing a complex of lanthanum *N*-salicylidene derivative of malonic dihydrazide, 234
Friction and wear properties
an investigation of the friction and wear properties of nanometer Si_3N_4 filled PEEK, 82
Friction coefficient
the prediction of friction and wear when a soft surface slides against a harder rough surface, 21
wear by plastic ratchetting. An experimental evaluation, 147
Frustrated total reflection
measurement of topography of finished surface by frustrated total reflection (FTR), 60

Gadolinium dialkyldithiophosphate
tribochemistry of gadolinium dialkyldithiophosphate, 16
Glass
solid particle erosion mechanism in glass, 263
Graphite
effect of temperature on the sliding wear performance of Al alloys and Al matrix composites, 270
Grease additive
tribological properties of aluminum-on-steel system under the lubrication of grease containing a complex of lanthanum *N*-salicylidene derivative of malonic dihydrazide, 234

Hardened steel
the surface integrity of turned and ground hardened bearing steel, 279
Hard materials
abrasion and erosion of hard materials related to wear in the abrasive waterjet, 120

Heat distribution
friction heat distribution between a stationary pin and a rotating disc, 219
High tensile strength aluminium alloy
wear behaviour of high tensile strength aluminium alloys under dry and lubricated conditions, 46
HVOF carbide–metal cermet coating
the dependence of erosion–corrosion wastage on carbide/metal binder proportion for HVOF carbide–metal cermet coatings, 141
Hydraulics
comparison of an external gear pump wear model with test data, 64

Impact angle
the dependence of erosion–corrosion wastage on carbide/metal binder proportion for HVOF carbide–metal cermet coatings, 141
Infrared microscopy
wear crack characterization by photothermal radiometry, 54
In-plane ordering
simulation of lubricant rheology in thin film lubrication. Part I: simulation of Poiseuille flow, 243
Interfacial rheology
simulation of lubricant rheology in thin film lubrication. Part I: simulation of Poiseuille flow, 243
simulation of lubricant rheology in thin film lubrication. Part 2: simulation of Couette flow, 249
Ion implantation
tribological study of nitrogen implanted niobium, 197

Journal bearing
the effects of three-dimensional irregularities on the performance characteristics of turbulent journal bearing, 126

La complex of *N*-salicylidene derivative of malonic dihydrazide
tribological properties of aluminum-on-steel system under the lubrication of grease containing a complex of lanthanum *N*-salicylidene derivative of malonic dihydrazide, 234
Load
wear mechanism of plasma-sprayed TiO_2 coating against stainless steel, 238
Low nickel
abrasive wear properties of experimental metastable duplex stainless steels, 92
Lube additive
tribochemistry of gadolinium dialkyldithiophosphate, 16
Lubricated wear
wear behaviour of high tensile strength aluminium alloys under dry and lubricated conditions, 46
abrasive wear model for lubricated sliding contacts, 72
tribological behavior of lubricating oil additives in lubricated aluminum-on-steel contact, 87
Lubrication theory
the effects of three-dimensional irregularities on the performance characteristics of turbulent journal bearing, 126

Machining
the surface integrity of turned and ground hardened bearing steel, 279
Metallic materials
wear crack characterization by photothermal radiometry, 54
Metallic properties
a slip-line field model of abrasive wear, 35
Metastable
abrasive wear properties of experimental metastable duplex stainless steels, 92
Micromachining
erosion ripple formation mechanism in aluminum and aluminum alloys, 285
Mineral oil
rolling-contact fatigue lives of steel AISI 52100 balls with eight mineral and synthetic lubricants, 110
Model
comparison of an external gear pump wear model with test data, 64
Molecular dynamics simulation
simulation of lubricant rheology in thin film lubrication. Part I: simulation of Poiseuille flow, 243
simulation of lubricant rheology in thin film lubrication. Part 2: simulation of Couette flow, 249
Morphologies of wear traces
an investigation of the friction and wear properties of nanometer Si_3N_4 filled PEEK, 82
Moving loads
elastoplastic analysis of repeated moving contact. Application to railways damage phenomena, 77
Multiaxial fatigue
elastoplastic analysis of repeated moving contact. Application to railways damage phenomena, 77

Nanometer Si_3N_4 filled polyetheretherketone (PEEK) composite
an investigation of the friction and wear properties of nanometer Si_3N_4 filled PEEK, 82
Niobium crystal
tribological study of nitrogen implanted niobium, 197
Non-destructive testing
wear crack characterization by photothermal radiometry, 54
Normal velocity component
solid particle erosion mechanism in glass, 263

Oil lubrication
tribological properties of polytetrafluoroethylene-based composite in different lubricant media, 164
Optical interferometry
evaluation of film-forming capability of refrigeration lubricants in pressurized refrigerant atmosphere, 180
Oxidation
on temperature-dependent tribological regimes and oxidation of carbon–carbon composites up to 1800 °C, 254

Partial-EHD contact
abrasive wear model for lubricated sliding contacts, 72
PCBN
the surface integrity of turned and ground hardened bearing steel, 279
Peak wastage
the dependence of erosion–corrosion wastage on carbide/metal binder proportion for HVOF carbide–metal cermet coatings, 141
Phase transition
simulation of lubricant rheology in thin film lubrication. Part I: simulation of Poiseuille flow, 243
Photothermal radiometry
wear crack characterization by photothermal radiometry, 54
Pin
friction heat distribution between a stationary pin and a rotating disc, 219
Plasticity
a slip-line field model of abrasive wear, 35
Plastic ratchetting
wear by plastic ratchetting. An experimental evaluation, 147
Pore-enlargement treatment
the pore-enlargement and self-lubrication treatment of anodic oxide film of aluminum, 214
Precision measurement
measurement of topography of finished surface by frustrated total reflection (FTR), 60

Pressure–viscosity coefficient
rolling-contact fatigue lives of steel AISI 52100 balls with eight mineral and synthetic lubricants, 110
evaluation of film-forming capability of refrigeration lubricants in pressurized refrigerant atmosphere, 180
PTFE-based multilayer self-lubricating composite
tribological properties of polytetrafluoroethylene-based composite in different lubricant media, 164
Pumps
comparison of an external gear pump wear model with test data, 64

Quartzite
abrasive wear properties of experimental metastable duplex stainless steels, 92

Rare earth complex
the antiwear and extreme pressure properties of some oil–water double soluble rare earth complexes. Part 1: their tribological behaviour in water, 188
the antiwear and extreme pressure properties of some oil–water double soluble rare earth complexes. Part 2: their tribological behaviours in liquid paraffin, 193
Rare earth compound
tribochemistry of gadolinium dialkyldithiophosphate, 16
Ratchetting rate
elastoplastic analysis of repeated moving contact. Application to railways damage phenomena, 77
Refrigerant
evaluation of film-forming capability of refrigeration lubricants in pressurized refrigerant atmosphere, 180
Reinforced aluminum composites
tribological investigation of 2009 Al–20 vol.% SiC_P/17-4 PH. Part II: counterpart performance, 202
Ripple formation mechanisms
erosion ripple formation mechanism in aluminum and aluminum alloys, 285
Rolling contact fatigue
evaluation of fatigue and wear characteristics of M50 steel using high temperature synthetic turbine engine lubricants – Part II, 133
Rolling fatigue
rolling-contact fatigue lives of steel AISI 52100 balls with eight mineral and synthetic lubricants, 110

Scuffing resistance
friction controlled materials wear testing and selection under starved lubrication, 207
Self-lubrication treatment
the pore-enlargement and self-lubrication treatment of anodic oxide film of aluminum, 214
Sliding speed
wear mechanism of plasma-sprayed TiO_2 coating against stainless steel, 238
Sliding wear
wear behaviour of high tensile strength aluminium alloys under dry and lubricated conditions, 46
effect of temperature on the sliding wear performance of Al alloys and Al matrix composites, 270
S–N curve
rolling-contact fatigue lives of steel AISI 52100 balls with eight mineral and synthetic lubricants, 110
Soft metallic film
tribological behavior of ultra-thin soft metallic deposits on hard substrates, 171
Solid particle erosion
solid particle erosion mechanism in glass, 263
Stainless steel
abrasive wear properties of experimental metastable duplex stainless steels, 92
Steel
a comparison of the boundary lubrication of 52100 steel, zirconia and silicon nitride by S, P, S/P and zinc dialkyl dithiophosphate additives, 100
52100 steel ball
rolling-contact fatigue lives of steel AISI 52100 balls with eight mineral and synthetic lubricants, 110
Strain cycle
wear by plastic ratchetting. An experimental evaluation, 147
Structure
the pore-enlargement and self-lubrication treatment of anodic oxide film of aluminum, 214
Surface integrity
the surface integrity of turned and ground hardened bearing steel, 279
Synthetic oil
rolling-contact fatigue lives of steel AISI 52100 balls with eight mineral and synthetic lubricants, 110

Tangential velocity component
solid particle erosion mechanism in glass, 263
Temperature
friction heat distribution between a stationary pin and a rotating disc, 219
effect of temperature on the sliding wear performance of Al alloys and Al matrix composites, 270
Thermo-elastoplasticity
elastoplastic analysis of repeated moving contact. Application to railways damage phenomena, 77
Thin film lubrication
simulation of lubricant rheology in thin film lubrication. Part I: simulation of Poiseuille flow, 243
simulation of lubricant rheology in thin film lubrication. Part 2: simulation of Couette flow, 249
TiO_2 coating
wear mechanism of plasma-sprayed TiO_2 coating against stainless steel, 238
Topography
measurement of topography of finished surface by frustrated total reflection (FTR), 60
Transfer film
an investigation of the friction and wear properties of nanometer Si_3N_4 filled PEEK, 82
Tribochemistry
tribochemistry of gadolinium dialkyldithiophosphate, 16
Tribological properties
tribological behavior of lubricating oil additives in lubricated aluminum-on-steel contact, 87
Tribological property
the pore-enlargement and self-lubrication treatment of anodic oxide film of aluminum, 214
Tribology
tribological study of nitrogen implanted niobium, 197
Tungsten carbide
abrasion and erosion of hard materials related to wear in the abrasive waterjet, 120
Turbulence
the effects of three-dimensional irregularities on the performance characteristics of turbulent journal bearing, 126

Ultra-thin film
tribological behavior of ultra-thin soft metallic deposits on hard substrates, 171

Unreinforced counterpart
tribological investigation of 2009 Al–20 vol.% SiC_p/17-4 PH. Part II: counterpart performance, 202

Wear
a slip-line field model of abrasive wear, 35
comparison of an external gear pump wear model with test data, 64
a comparison of the boundary lubrication of 52100 steel, zirconia and silicon nitride by S, P, S/P and zinc dialkyl dithiophosphate additives, 100
tribological behavior of ultra-thin soft metallic deposits on hard substrates, 171
Wear model
the prediction of friction and wear when a soft surface slides against a harder rough surface, 21
Wear modeling
tribological investigation of 2009 Al–20 vol.% SiC_p/17-4 PH. Part II: counterpart performance, 202
Wear rate
the prediction of friction and wear when a soft surface slides against a harder rough surface, 21
the effects of compressive stresses on the abrasion of diamond coatings, 226
Wear resistance
wear behaviour of high tensile strength aluminium alloys under dry and lubricated conditions, 46
electrodeposited Cr–Al_2O_3 composite coating for wear resistance, 295
Wear test
wear by plastic ratchetting. An experimental evaluation, 147
Wear volume
evaluation of fatigue and wear characteristics of M50 steel using high temperature synthetic turbine engine lubricants – Part II, 133

XPS
tribological behavior of lubricating oil additives in lubricated aluminum-on-steel contact, 87